

TABLES FOR EPOXY MORTARS

EPOXY MORTAR YIELD PER GALLON OF EPOXY BINDER

Epoxy Binder (Gallons)	Aggregate (Gallons)*	Mortar (Gallons)
1	1	1.6
1	2	2.2
1	3	2.8
1	4	3.4
1	5	4.0

* Flint Shot approximately 12-14 lbs./gallon. With other aggregates, yield will vary with mesh size and amount of entrained air.

COVER PER GAL. OF EPOXY MORTAR (EPOXY BINDER + SAND)

Epoxy Mortar (Gallons)	Thickness (Inches)	Coverage (sq. ft.)
1	1/16	25.7
1	1/8	12.8
1	3/16	8.6
1	1/4	6.4
1	3/8	4.3
1	1/2	3.2