



# MATERIAL SAFETY DATA SHEET

## I. Product and Company Identification

**Product:** MASCOBOND AR **Revision Date:** 09/21/2010

**Manufacturer:** Masons Supply Company (MASCO)  
2637 SE 12<sup>th</sup> Avenue  
Portland, OR 97202  
TEL (503) 234-4321  
FAX (503) 234-5606

## II. Hazards Identification

### Emergency Overview

Off-White to White. Liquid. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

### Acute Potential Health Effects/Routes of Entry:

**INHALATION:** No serious effects anticipated under normal conditions of use.  
**EYES:** Direct contact may cause mild irritation.  
**INGESTION:** May cause gastrointestinal irritation, nausea, and vomiting.  
**SKIN:** May cause mild irritation.

### Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

### Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

## III. Product Composition

CHEMICAL NAME	CAS. NO.	WEIGHT (%)
Water	7732-18-5	> 60.0
Acrylic Latex	NJ TSRN# 51721300-5389P	15.0 - 40.0
Ammonium Hydroxide	1336-21-6	- < 1.0
Formaldehyde	50-00-0	- < 0.1

## IV. First Aid Measures

**Get immediate attention for any significant overexposure.**

**Inhalation:** Leave area to breathe fresh air. Avoid further exposure. If symptoms persist, get medical attention.  
**Eye Contact:** Flush with water for at least 15 minutes. If irritation persists, get medical attention immediately.  
**Skin Contact:** Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.  
**Ingestion:** Get medical attention. Do not induce vomiting.  
**Notes to physician:** Not applicable.

## V. Fire Fighting Measures

<b>Flash point:</b>	Not available.
<b>Method:</b>	Not available.
<b>Lower explosion limit:</b>	Not available.
<b>Upper explosion limit:</b>	Not available.
<b>Auto ignition temperature:</b>	Not available.
<b>Extinguishing media:</b>	This product is not expected to burn under normal conditions of use.
<b>Hazardous combustion products:</b>	Carbon monoxide and carbon dioxide can form. Smoke, fumes.
<b>Protective equipment for firefighters:</b>	Use accepted fire fighting techniques. Wear full fire fighting protective clothing, including self-contained breathing apparatus (SCBA).
<b>Fire and explosion conditions:</b>	This product is not expected to ignite under normal conditions of use.

## VI. Accidental Release Measures

Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

## VII. Handling and Storage

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin, eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

## VIII. Exposure Controls / Personal Protection

### Personal Protection Equipment (PPE)

<b>Respiratory protection:</b>	Not required under normal conditions of use. Wear appropriate, NIOSH/MSHA approved respirator with combination particulate filter and vapor/gas removing cartridge when the ventilation is not adequate or if it is necessary to abrade or grind surfaces coated with this product.
<b>Hand Protection:</b>	Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.
<b>Eye Protection:</b>	Wear appropriate eye protection. Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
<b>Skin and body protection:</b>	Prevent contact with shoes and clothing. Use rubber apron and overshoes.
<b>Protective measures:</b>	Other equipment not normally required. Use professional judgment in the selection, care, and use.
<b>Engineering measures:</b>	Not required under normal conditions of use. Use local exhaust when the general ventilation is inadequate.

### Exposure Limits

CHEMICAL NAME	CAS. NO.	Regulation	Limit	Form
Ammonium hydroxide	1336-21-6	ACGIH TWA: ACGIH STEL: OSHA PEL:	25 ppm 35 ppm 35 mg/m3	

## IX. Physical and Chemical Properties

<b>Form:</b>	Liquid
<b>Color:</b>	Off-White to White
<b>Odor:</b>	Slight Ammonia
<b>pH:</b>	9 – 10
<b>Vapour pressure:</b>	Not available.
<b>Vapor density:</b>	Heavier than air.
<b>Melting point/range:</b>	Not available.
<b>Freezing point:</b>	Not available.
<b>Boiling point/range:</b>	Not available.
<b>Water solubility:</b>	Soluble
<b>Specific Gravity:</b>	1.1
<b>% Volatile Weight:</b>	70.5%

## X. Reactivity / Stability

<b>Substances to avoid:</b>	Strong acids. Strong bases.
<b>Stability:</b>	Stable.
<b>Hazardous polymerization:</b>	Will not occur.

## XI. Toxicological Information

Ammonium hydroxide, CAS-No.:	1336-21-6
Acute oral toxicity (LD-50 oral)	350 mg/kg (Rat)
Formaldehyde, CAS-No.:	50-00-0
Acute oral toxicity (LD-50 oral)	800 mg/kg (Rat) 260 mg/kg (Guinea pig) 100 mg/kg (Rat) 42 mg/kg (Mouse)
Acute inhalation toxicity (LC-50)	0.82 mg/l for 30 min (Rat) 0.48 mg/l for 4 h (Rat) 0.414 mg/l for 4 h (Mouse) 0.4 mg/l for 2 h (Mouse)

## XII. Ecological Information

No Data Available

## XIII. Disposal Considerations

**Disposal Method:** Waste not regulated under RCRA. Dispose of in compliance with state and local regulations.

**XIV. Transportation Information / Shipping Data**

**TDG / DOT SHIPPING DESCRIPTION:**

NOT REGULATED

**XV. Regulatory Information**

**North American Inventories:**

All components are listed exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

**U.S. Federal Regulations:**

SARA 313 Components                      None present or none present in regulated quantities.  
 SARA 311/312 Hazards                      Acute Health Hazard

**OSHA Hazardous Components:**

Ammonium hydroxide:                      1336-21-6  
 Formaldehyde                                      50-00-0

**OSHA Status:**

Considered hazardous  
 based on the following criteria:              Irritant

**OSHA Flammability:**                      Not Regulated

**Regulatory VOC:**                              10 g/l  
 (less water and exempt solvent)

**VOC Method 310:**                              0%

**U.S. State Regulations:**

MASS RTK Components:	Formaldehyde	50-00-0
Penn RTK Components:	Water	7732-18-5
	Acrylic Latex	NJ TSRN# 51721300-5389P
NJ RTK Components:	Water	7732-18-5
	Acrylic Latex	NJ TSRN# 51721300-5389P

**WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm:**

Formaldehyde                                      50-00-0

**XVI. Other Information**

**HMIS Rating:**

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum  
 1 = Slight  
 2 = Moderate  
 3 = Serious  
 4 = Severe

**Further information:**

For industrial use only. Keep out of reach of children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. Continued on next page...

**XVI. Other Information (Continued)**

**LEGEND**

ACGIH - American Conference of Governmental Hygienists

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

RCRA - Resource Conservation and Recovery Act

RTK - Right To Know

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

V - Volume

VOC - Volatile Organic Compound

WHMIS - Workplace Hazardous Materials Information System