

MATERIAL SAFETY DATA SHEET

Complies with OSHA's Hazard Communication Standard, 29 CFR 1910.1200

IDENTITY As Used on Label and List:

MASCOURE CURE & SEAL WB

SECTION I

Manufacturer's Name:	MASONS SUPPLY CO. 2637 SE 12TH AVE. PORTLAND, OR 97202	Emergency Telephone No.:	800-424-9300
		Telephone No.:	503-234-4321
		Date Prepared:	8/8/03

Section II-Hazardous Ingredients/Identity Information:

Hazardous Components (Specific Chemical Identity:	Common Name(s)	OTHER LIMITS ... %
OSHA PEL ...	ACGIH TLV ...	RECOMMENDED

"MIXTURE CONTAINING"

Acrylic Resin							
CAS# 25153-46-2	NA	...	NA	...	NA		>18%
Surfactant							
CAS# 25265-77-4	NA	...	NA	...	NA		<9%
Water							
CAS# 7732-18-5		NA	...	NA	...	NA	>73%

None of the remaining components considered a Hazardous Material or carcinogen (1910.1200 Hazard Communication (d)(4)).

TRANSPORTATION INFORMATION: 49 CFR (172.101). Non - Regulated by the D.O.T.

SECTION III - Physical/Chemical Characteristics:

Boiling Point: Degrees	212°F.	Specific Gravity (H2O = 1):	1.02
Vapor Pressure (mm Hg):	<25mm	Freezing Point:	32°F.
Vapor Density (Air=1):	Water	Evaporation Rate	
Solubility in Water:	Yes	(n + Butyl Acetate = 1):	Similar to water.
Appearance and Odor:	Milky white emulsion.		

SECTION IV - Fire and Explosion Hazard Data:

Flash Point (COC):	250°F		
Flammable Limits:	LEL: NA	UEL:	NA

SECTION V - Reactivity Data:

Stability:	Stable
Incompatibility (Materials to Avoid):	Strong oxidizing agents.
Hazardous Decomposition or Byproducts:	Oxides of carbon are formed by burning.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Strong oxidizing agents.

SECTION VI - HEALTH HAZARD DATA:

Route (s) of Entry: Inhalation?	Yes	Skin?	Yes	Ingestion?	Not Expected
---------------------------------	-----	-------	-----	------------	--------------

Health Hazards Acute and Chronic:

Eyes:	Can cause severe irritation, redness, tearing, blurred vision.
Skin:	Prolonged or repeated contact can cause irritation to persons with sensitive skin.
Inhalation:	Excessive inhalation of vapors can cause irritation to mucous membrane, respiratory irritation, dizziness, headache.
Ingestion:	Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.

MASCOURE CURE & SEAL WB

Carcinogenicity: Unrelated NTP? No IARC? No OSHA Regulated? No
Signs and Symptoms of Exposure: Headache, drowsiness nausea.
Medical Condition Generally Aggravated by Exposure: None determined.

Emergency and First Aid Procedures:

Eyes: Flush with large amounts of water for 15 minutes lifting upper and lower lids occasionally. Get medical attention.
Skin: Thoroughly wash exposed area with soap and water. Remove contaminated clothing before re-use.
Inhalation: If affected, remove to fresh air.
Ingestion: Do not induce vomiting. Keep person warm, quiet and get medical attention.

SECTION VII - Precautions for Safe Handling and Use:

Steps to be taken in case material is released or spilled: Stop spill at source. Dike area of spill to prevent spreading. Pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent or other absorbent material and shoveled into containers. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

Waste Disposal Method: In accordance with local, state and federal regulations.

Other Precautions: Use only in well ventilated areas unless recommended respiratory protection is used. Keep body contact and splash to a minimum. Do not cut empty steel drums with a welding torch.

SECTION VIII - Control Measures:

Respiratory Protection: If TLV of the product or any component is exceeded, a NIOSH/MSHA jointly approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators under specified conditions. (See your safety equipment supplier). Engineering or administrative controls should be implemented to reduce exposure.

Ventilation: Provide sufficient mechanical (General and/or local exhaust) ventilation to maintain exposure below TLV(s).

Protective Gloves: Wear resistant gloves such as: Nitrile Rubber

Eye Protection: Chemical splash goggles in compliance with OSHA regulations are advised. However, OSHA regulations also permit other type safety glasses (consult your safety equipment supplier).

Other Protective Equipment: To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

Work/Hygienic Practices: Use in well ventilated areas unless recommended respiratory protection is used. Keep body contact and splash to a minimum.

DISCLAIMER OF WARRANTIES AND LIMITATIONS OF LIABILITY: MASONS SUPPLY CO. (Seller) warrants that if any goods supplied prove defective in workmanship or material, that Seller shall replace them or refund their purchase price. THIS WARRANTY IS MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS WHICH ARE HEREBY DISCLAIMED. IT IS UNDERSTOOD AND AGREED THAT BUYER'S SOLE REMEDY, AND THEREFORE SELLER'S LIABILITY, WHETHER IN CONTRACT, TORT, UNDER ANY WARRANTY, IN NEGLIGENCE, OR OTHERWISE SHALL BE LIMITED TO THE RETURN OF THE PURCHASE PRICE PAID BY PURCHASER OR REPLACEMENT OF ANY DEFECTIVE GOODS SOLD BY SELLER AND UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. THE PRICE STATED FOR THE GOODS IS A CONSIDERATION IN LIMITING SELLER'S LIABILITY. Before application, the User shall determine the suitability of the product for his intended use and User assumes all risks and liabilities whatsoever in connection therewith. The terms of this paragraph may not be orally modified. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE FACE HEREOF.

NA: No applicable information was found