## MATERIAL SAFETY DATA SHEET

Concrete Admixture Products MSDS No. - 1062

|  | Secti                            | ion I - Produ   | ========<br>act Identification | ======================================= | =======            |
|--|----------------------------------|---|--------------------------------|---|--------------------|
| ManufacturerInnovative Transportation Emergency Effective DateJan. 2013 Trade Name"EC-25" SynonymWater base Chemical FamilyAqueous CAS NoMixture MIS Hazard Rating - Health Fire | Call "CHEM<br>Date<br>sed Resin. | TREC" 800<br>Last Revise  | 0-424-9300 (U.S<br>ed          |   | : 908-453-2737     |
| Reactivity   | E                                |   |                                |   |                    |
|  |                                  |   |                                | : Slight                                |                    |
| (glasses, gloves, apron) 0   |                                  |   | 0 =                            | Insignificant                           |                    |
|  | Section                          | on II - Hazaı   | rdous Ingredients              | ======================================  |                    |
| <u>Ingredients</u><br>None   | CAS No.<br>NL                    | <u>%</u><br>NL  | ACGIH/TW <i>E</i><br>NL        | A <u>OSHA/STEL</u><br>NL                | <u>OTHER</u><br>NL |
| NE = Not Established   | hed NL = Not Listed              |   |                                | C = Carcinogen by OSHA                  |                    |
| =======================================  | ========<br>Se                   | ========<br>ection III = 1                                      | ========<br>Physical Data      |   |                    |
| Boiling Point [deg F]  |                                  | eg F e as water vier than air - 1.02 ver than n-B ey white liqu | id/Bland odor                  |   |                    |
| NA = Not Applicabl   | e                                | NV = Not Volatile   |                                | ND = Not Determined                     |                    |

| Section IV - Fire and Explosion Hazard Data   |  |  |  |  |
|---|--|--|--|--|
| Flash Point [deg F]   |  |  |  |  |
| Section V - Health Hazard Data  |  |  |  |  |
| Permissible Exposure LevelNone established.  Effects of Over ExposureEyes - Direct contact may be irritating to eyes.  Skin - Prolonged contact may be irritating to skin.  First Aid Procedures:  Eye ContactFlush immediately with copious amounts of water for at least 15 minutes. Consult Physician.  Skin ContactWash with soap and water, remove contaminated clothing and wash.  IngestionIf ingested call a physician.  InhalationRemove to fresh air. |  |  |  |  |
| Section VI - Reactivity Data  |  |  |  |  |
| Chemical StabilityStable. Conditions to AvoidExtremely high temperatures. Incompatible materialsNone known Hazardous Decomposition ProductsThermal decomposition may produce noxious gases. Hazardous PolymerizationWill Not Occur.   |  |  |  |  |
| Section VII - Spill or Leak Procedure   |  |  |  |  |
| For SpillsClean up with water before allowing to dry. Place in a suitable container for further handling and disposal.  Waste DisposalIn accordance with local, state and federal regulations.  |  |  |  |  |

EC-25 MSDS Page 2 of 3

| Section VIII - Special Protection Information   |  |  |  |
|---|--|--|--|
| Respiratory Protection  |  |  |  |
| Section IX - Special Precautions  |  |  |  |
| Precautions to be taken in Handling and StorageAvoid prolonged contact, store in dry, cool area, protect from freezing.  Other PrecautionsSpilled material is slippery.   |  |  |  |
| Section X - Transportation Regulatory Information   |  |  |  |
| DOT Proper Shipping Name  |  |  |  |
| WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, INNOVATIVE CONCRETE TECHNOLOGY LLC MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIM ALL LIABILITY FROM RELIANCE THEREON. |  |  |  |
| Warranty  |  |  |  |

Innovative Concrete Technology, LLC. (ICT) warrants that all products are manufactured and formulated to exacting standards. If the material is found defective, ICT may, at its option, replace the defective material or refund the purchase price provided the purchaser has examined the material upon receipt and has promptly notified ICT prior to the material being applied. By using the product, purchaser agrees that no other remedy including, but not limited to, incidental or consequential damages, shall be available to the purchaser.

Unless otherwise agreed to in writing by ICT, there is no warranty beyond that described above. ICT does not accept any liability for particular methods, uses or applications, and performance of the material, nor does it accept any liability for any intended use of the material. THERE ARE NO OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE THAT EXTEND BEYOND THAT DESCRIBED HEREIN. THIS WARRANTY MAY NOT BE MODIFIED OR EXTENDED BY REPRESENTATIVES OF GRC, IT'S SALES AGENTS OR DISTRIBUTORS, EXCEPT BY VOTE OF THE BOARD OF DIRECTORS AUTHORIZING A CORPORATE OFFICER TO VARY THE TERMS OF THIS WARRANTY.