

625 W. Illinois Ave. Aurora, IL 60506 630) 906-1980 • Fax: 630) 906-1982

MATERIAL DATA SAFETY SHEET

"DATE REXKUED: Crtkd7, 4234

MSDS No.:103

1. PRODUCT IDENTIFICATION AND INFORMATION

Product Identifier: Butterfield 103

Chemical Notation or Structure: Mixture

General Information: Butterfield Color® 630) 906-1980 Emergency Information: CHEMTREC 800-424-9300

2. INGREDIENTS Trade Secret		<u>WT. %</u> 	CAS Registry
	EXPOS	SURE LIMITS 8HRS. TWA	
	OSHA PEL	ACGIH TLV	NIOSH REL
	mg/m_3	mg/m_3	mg/
Nuisance Particulates	15 (total dust)	10	15 (total dust)
	5 (respirable dust)		5 (respirable dust)
Iron	10	5	5

3. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure: Not Applicable

Specific Gravity ($H_2O=1$): > 1

Solubility in

Water: Insoluble

Boiling Point: Not Applicable

UNI-MIX® INTEGRAL CONCRETE COLORANT......Page 2 of 3

DATE REVISED: Arpil 5, 2012 MSDS No.:103

Vapor Density: Not Applicable Evaporation Rate: Not Applicable Melting Point: Not Applicable

Appearance: Fine, Colored Powder

Odor: No Odor

4. FIRE AND EXPLOSION

Flashpoint and Method: None Flammable Limits: None

Auto-ignition Temperature: None

Fire Extinguishing Media: Non-combustible Special Fire Fighting Procedures: None Unusual Fire and Explosion Hazards: None

5. REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Materials and Conditions to Avoid: Strong oxidizers and excessive heat

Hazardous Decomposition Products: None

6. HEALTH

Inhalation: Acute exposures may cause sneezing, coughing and irritation of upper respiratory system.

Eyes and Skin: May cause eye and skin irritation, burns and dermatitis.

Ingestion: May cause gastrointestinal tract irritation.

Medical Conditions Aggravated: Pre-existing chronic respiratory, eye and skin diseases.

Carcinogenicity:

NTP- No IARC- No OSHA- No ACGIH- No

First Aid Measures:

Inhalation- Remove exposed person to fresh air. Get medical attention if symptoms persist.

Eve Contact- Flush eyes with water for at least 15 minutes. Get medical attention if symptoms persist.

Skin Contact- Wash with mild soap and water. Get medical attention if symptoms persist.

Ingestion- Get medical attention.

UNI-MIX® INTEGRAL CONCRETE COLORANT......Page 3 of 3

DATE REVISED: April 5, 2012 MSDS No.:103

7. HANDLING AND STORAGE

General: Store in cool, dry location. Avoid creating excessive dust.

Spill Cleanup: Isolate and contain spill. Avoid excessive dust generation and runoff into a sewer or waterway. Collect and reuse, if possible. Place waste in a disposal container, and dispose of in accordance with local, state and federal regulations.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Use only in well ventilated areas. Ventilation should be

sufficient to maintain airborne levels of ingredients below the

acceptable limits.

Skin and Eye Protection: Impervious gloves, safety glasses with side shields or safety

goggles, and suitable clothing to minimize skin contact

recommended.

Respiratory Protection: Use only NIOSH- approved respirators if necessary to prevent

excessive dust inhalation.

Work Practices: Avoid contact with skin and eyes. Avoid breathing dust. Wash

thoroughly with soap and water. Remove and clean work clothing.

This Material Safety Data Sheet (MSDS) was developed from information contained in published MSDSs and standard references. Butterfield Color® makes no guarantees or warranty, either expressed or implied, as to the accuracy or completeness of the data contained in this MSDS.