Printing date 10/31/2011 Reviewed on 10/31/2011

1 Identification of substance

- · Product details
- · Trade name: Civil/Structural VO
- · Article number: 83-308762
- · Application of the substance / the preparation
- · Manufacturer/Supplier:

Dayton Superior

4226 Kansas Avenue

Kansas City, KS 66106

Tel.: (866) 329-8724

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

2 Composition/Data on components

- · Chemical characterization
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
14808-60-7	Quartz (SiO2)	50-75%
69012-64-2	Silica-Amorphous Silica fume	≤5%
7778-18-9	calcium sulphate, natural	≤ 2.5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

- · Hazard description: Not applicable.
- · Information pertaining to particular dangers for man and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



4 First aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)

Printing date 10/31/2011 Reviewed on 10/31/2011

Trade name: Civil/Structural VO

(Contd. of page 1)

- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow product to reach sewage system or any water course.
- · Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Additional information: No dangerous substances are released.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

REL | 0.05* mg/m³ *Respirable dust TLV | (0.05 R) mg/m³ NIC-0.025 R

69012-64-2 Silica-Amorphous Silica fume

 $TLV 2 R mg/m^3$

7778-18-9 calcium sulphate, natural

PEL 15*; 5** mg/m³

*Total dust **Respirable fraction

REL 10*; 5** mg/m³

*Total dust **Respirable fraction

TLV 10 mg/m³

(e)

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 3)

Printing date 10/31/2011 Reviewed on 10/31/2011

Trade name: Civil/Structural VO

(Contd. of page 2)

- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection: Wear appropriate eye protection to prevent eye contact.

9 Physical and chemical properties

· General Information

Form: Liquid

Color: According to product specification

Odor: Characteristic

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: > 999°C (> 1830°F)

· Flash point: Not applicable.

• Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· **Density:** Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Solvent content:

Organic solvents: 0.0 %

· Solids content: 96.6 %

· Volatile Organic Compounds: Not determined

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot \textit{\textbf{Dangerous reactions}} \ \textit{No dangerous reactions known}.$
- · Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect known.
- · on the eye: No irritating effect known.
- · Sensitization: No sensitizing effects known.

(Contd. on page 4)

Printing date 10/31/2011 Reviewed on 10/31/2011

Trade name: Civil/Structural VO

(Contd. of page 3)

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological information

· General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation:

Smaller quantities can be disposed of with household waste.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.

14 Transport information

DOT regulations: Not Regulated
 Hazard class: N/A

• Limited Quantity Exemption: No Limited Quantity exemption applies for this shipping class.

· U.S. Domestic Ground Shipments: Same as listed for Standard Shipments above.

· U.S. Domestic Ground Non-Bulk (119 gal or less per

container) Shipments: Same as listed for Standard Shipments above.

· Emergency Response Guide (ERG) Number: Not determine

· Land transport ADR/RID (cross-border): Not Regulated

· ADR/RID class:

· Maritime transport IMDG: Not Regulated

· IMDG Class: N/A
· Marine pollutant: No

· Air transport ICAO-TI and IATA-DGR: Not Regulated

· ICAO/IATA Class: N/A

15 Regulations

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

1344-28-1 aluminium oxide ≤1%

(Contd. on page 5)

Printing date 10/31/2011 Reviewed on 10/31/2011

Trade name: Civil/Structural VO

(Contd. of page 4) · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 · Chemicals known to the State of California (Prop. 65) to cause cancer: 14808-60-7 Quartz (SiO2) · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Cancerogenity categories · EPA (Environmental Protection Agency) None of the ingredients is listed. · IARC (International Agency for Research on Cancer) 14808-60-7 Quartz (SiO2) 1 69012-64-2 Silica-Amorphous Silica fume 3 1309-37-1 diiron trioxide 3 13463-67-7 titanium dioxide 3 · NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) K · TLV (Threshold Limit Value established by ACGIH) 14808-60-7 Quartz (SiO2) A21344-28-1 aluminium oxide A41309-37-1 diiron trioxide A413463-67-7 titanium dioxide *A4* · MAK (German Maximum Workplace Concentration) 14808-60-7 Quartz (SiO2) 1 1344-28-1 aluminium oxide 2 · NIOSH-Ca (National Institute for Occupational Safety and Health) 14808-60-7 Quartz (SiO2) 13463-67-7 titanium dioxide · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

· Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

· Safety phrases:

25 Avoid contact with eyes.

39 Wear eye/face protection.

(Contd. on page 6)

Printing date 10/31/2011 Reviewed on 10/31/2011

Trade name: Civil/Structural VO

(Contd. of page 5)

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager

USA