

EUCO CONCRETE FLOOR CLEANER

Version 3.0

Print Date 12/19/2013

REVISION DATE: 08/01/2012

SECTION 1 - PRODUCT IDENTIFICATION

:

Trade name Product code

: EUCO CONCRETE FLOOR CLEANER

58W 55

COMPANY

COMPANY	 Euclid Chemical Company 19218 Redwood Road Cleveland, OH 44110
Telephone Emergency Phone:	 : 1-800-321-7628 : U.S. only: 1-800-424-9300 International Users Call Collect: 1-703-527-3887

: Coating

Product use

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Clear. Liquid solution. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation	:	No serious effects anticipated under normal conditions of use.
Eyes	:	Direct contact may cause mild irritation.
Ingestion	:	May cause gastrointestinal irritation, nausea, and vomiting.
Skin	:	May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %	
Water	7732-18-5	> 60.0	
Diammonium Citrate	3012-65-5	15.0 - 40.0	

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation	: Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
Eye contact	: Flush with water for 15 minutes. If irritation persists, get medical attention.
Skin contact	: Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.

Material Safety Data Shee	et				
			EUCLID CHEMICAL		
EUCO CONCRETE FLO	DOR (CLEANER	Print Date 12/19/2013		
REVISION DATE: 08/01/2012					
Ingestion : G	et medic	al attention. Do not induce vomiting.			
Notes to physician : No	Notes to physician : Not applicable.				
SECTION 5 - FIRE FIGHTIN	NG ME	ASURES			
Flash point Method	:	Not available. Not applicable.			
Lower explosion limit	:	Not available.			
Upper explosion limit	:	Not available.			
Autoignition temperature	:	Not available.			
Extinguishing media	:	This product is not expected to burn under nor	mal conditions of use.		
Hazardous combustion products	:	Carbon monoxide and carbon dioxide can for	m.Smoke, fumes.		
Protective equipment for firefighters	:	Use accepted fire fighting techniques. Wear to clothing, including self-contained breathing approximation of the s			
Fire and explosion conditions	s :	This product not expected to ignite under nor	nal conditions of use.		
SECTION 6 - ACCIDENTAL		EASE MEASURES			
	uitable n	disposal. Stop flow. Contain spill. Keep out of naterial. Transfer to appropriate container for dis with material.			
SECTION 7 - HANDLING A	ND ST	ORAGE			
freezing. Do not use in confi with skin eyes and clothing.	ned or p Keep co	hygienic practices. Clean hands thoroughly after oorly ventilated areas. Prevent inhalation of vap ntainer closed when not in use. Precautions also s in a dry, ventilated warehouse location above	or, ingestion, and contact o apply to emptied		
SECTION 8 - EXPOSURE (CONTR	ROLS / PERSONAL PROTECTION			
Personal protection equip	ment				
Respiratory protection	: Not app rem	required under normal conditions of use.Wear proved respirator with combination particulate fill noving cartridge when the ventilation is not adeq ade or grind surfaces coated with this product.	er and vapor/gas		
Hand protection		e suitable impervious rubber or vinyl gloves and uce exposure.	protective apparel to		
Eye protection	shi witi	ar appropriate eye protection.Wear chemical sa eld to prevent eye contact. Do not wear contact n contaminated body parts or materials. Have ey ilable.	lenses. Do not touch eyes		
Skin and body protection	: Pre	event contact with shoes and clothing. Use rubbe	er apron and overshoes.		
Protective measures	: Oth	er equipment not normally required.Use profess	sional judgment in the		
An RPM Company		2/5	58W 55		

Material Safety Data Sheet	
EUCO CONCRETE FLO	
ersion 3.0	Print Date 12/19/201
EVISION DATE: 08/01/2012	
	selection, care, and use.
Engineering measures	: Not required under normal conditions of use.Use local exhaust when the general ventilation is inadequate.
Exposure Limits No known components with ex	xposure limits.
ECTION 9 - PHYSICAL AN	D CHEMICAL PROPERTIES
Form	: Liquid solution
Color	: Clear
Odor	: Bland
рH	: Not available.
Vapour pressure	: Not available.
Vapor density	: Heavier than air
Melting point/range	: Not available.
Freezing point	: 0.0000 °C, 32 °F
Boiling point/range	: 100 °C, 212 °F
Water solubility	Soluble
Specific Gravity	: 1.081
% Volatile Weight	: 82.2 %
SECTION 10 - REACTIVITY	/ STABILITY
Substances to avoid	: Strong acids.Strong bases.
Stability	: Stable
Hazardous polymerization	: Will not occur.
SECTION 11 - TOXICOLOGI	CAL INFORMATION
No Data Available	
SECTION 12 - ECOLOGICAI	
No Data Available	
SECTION 13 - DISPOSAL C	ONSIDERATIONS
	e not regulated under RCRA. Dispose of in compliance with state and local ations.



Print Date 12/19/2013

EUCO CONCRETE FLOOR CLEANER

Version 3.0 REVISION DATE: 08/01/2012

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations: SARA 313 Components	:	None present or none present in regulated quantities.		
SARA 311/312 Hazards	:	Based on an evaluation of the components used, this product does not contain hazardous ingredients identified as per 29 CFR 1910.1200		
OSHA Hazardous Components :				
OSHA Flammability	:	Not Regulated		
Regulatory VOC (less water and exempt solvent)		: 0 g/l		
VOC Method 310		: 0 %		
U.S. State Regulations: MASS RTK Components	:	Diammonium Citrate	3012-65-5	
Penn RTK Components	:	Water Diammonium Citrate	7732-18-5 3012-65-5	
NJ RTK Components	:	Water Diammonium Citrate	7732-18-5 3012-65-5	
Components under California Pro None known.	ро	sition 65:		



EUCO CONCRETE FLOOR CLEANER

Version 3.0 REVISION DATE: 08/01/2012 Print Date 12/19/2013

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

PEL - Permissible Exposure Limit
RCRA - Resource Conservation and Recovery Act
RTK - Right To Know
SARA - Superfund Amendments and Reauthorization Act
STEL - Short Term Exposure Limit
TLV - Threshold Limit Value
TSCA - Toxic Substances Control Act
TWA - Time Weighted Average
V - Volume
VOC - Volatile Organic Compound
WHMIS - Workplace Hazardous Materials Information System