



MATERIAL SAFETY DATA SHEET

Page 1 of 4

HF302 - HYDRO-FLEX WATERSTOP

1. Product And Company Identification			
Supplier HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com		Manufacturer HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com	
Supplier Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666		Manufacturer Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666	
 Issue Date: 06/24/2014 Product Name: HF302 - HYDRO-FLEX WATERSTOP Product Code: HF302			
2. Composition/Information On Ingredients			
Ingredient Name		CAS Number	Percent Of Total Weight
polyisobutylene mixture		NA-Mixture	80 - 99
Substances in this product that require registration have been pre-registered in accordance with the REACH Regulation - (EC) No. 1907/2006. See Section 15 for additional information.			
EMERGENCY OVERVIEW			
CAUTION! Direct skin and eye contact may cause irritation. Appearance/Odor: Black, pliable gum, no odor			
3. Hazards Identification			
Primary Routes(s) Of Entry Inhalation Eye Hazards Particles may cause eye irritation. Skin Hazards May cause irritation to sensitive skin. Ingestion Hazards Not a probable route of exposure. Inhalation Hazards Not a probable route of exposure under normal conditions of use.			
4. First Aid Measures			
Eye In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.			



HF302 - HYDRO-FLEX WATERSTOP

4. First Aid Measures - Continued

Skin

Remove contaminated clothing and shoes. Wash affected areas with soap and water.

Ingestion

Get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious victim.

Inhalation

Remove the person from the contaminated area to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Contact a physician if symptoms develop.

5. Fire Fighting Measures

Flash Point: >400 °F 204 °C

Flash Point Method: Pensky Marten closed cup

Fire And Explosion Hazards

During a fire carbon monoxide, carbon dioxide, sulfur dioxide, nitrogen oxides, and irritating and toxic gases may be generated.

Extinguishing Media

Carbon dioxide, water fog, dry chemical, or chemical foam.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Collect and dispose in accordance with applicable regulations. Avoid runoff to waterways and sewers.

7. Handling And Storage

Handling And Storage Precautions

Keep containers tightly closed. Store in a cool, dry, well-ventilated area. Protect from heat sparks, strong oxidizers or flame. Use only with adequate ventilation.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation. When used outdoors, stay well away from building air intakes or close and seal the intakes to prevent product from entering building.

Eye/Face Protection

Safety glasses with side shields or splash goggles recommended.

Skin Protection

Use with chemical-protective gloves to prevent skin contact.

Respiratory Protection

None normally required. Respirator use may be required due to secondary operations such as mixing, spraying, sanding, buffing, etc. The level of respiratory protection needed should be based on the evaluation of chemical exposures by a health or safety professional. If required, use an appropriate NIOSH-approved respirator equipped with a half-face air purifying respirator with an organic vapor cartridge and pre-filter or a supplied air respirator.

HF302 - HYDRO-FLEX WATERSTOP

9. Physical And Chemical Properties

Appearance

Black, pliable gum

Odor

No odor

Chemical Type: Mixture

Physical State: Solid

Boiling Point: not available °F

Specific Gravity: 1.32

Percent Volatiles: 0

Vapor Pressure: not applicable

Vapor Density: not available

pH Factor: not available

Solubility: Insoluble

Evaporation Rate: not available

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Not expected to occur

Conditions To Avoid (Stability)

Extreme temperatures, open flames, or oxidizers.

Incompatible Materials

Strong oxidizers.

Hazardous Decomposition Products

Decomposition not expected to occur if handled and stored properly.

11. Toxicological Information

Chronic/Carcinogenicity

None of the ingredients present in this product, at concentrations equal to or greater than 0.1%, have been determined to be carcinogenic by IARC, NTP, OSHA, or ACGIH.

Miscellaneous Toxicological Information

Toxicological testing has not been conducted for this product overall. Available toxicological data for individual ingredients are summarized below.

12. Ecological Information

None identified.

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Ground Not restricted

IMDG Not restricted

IATA Not restricted

HF302 - HYDRO-FLEX WATERSTOP

15. Regulatory Information


Canadian Regulatory Information

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. WHMIS Classification: Not classified or controlled.

European Union (EU) Regulatory Information

This product is an article that does not contain substances intended to be released upon use. Therefore pre-registration and subsequent registration of these substances is not required under REACH regulations.

NFPA



HMIS

HEALTH	0
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	

16. Other Information

Revision/Preparer Information

This MSDS Supersedes A Previous MSDS Dated: 08/04/2010

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

HENRY COMPANY