

Cure & Seal WB

Version 1 Revised Date: 2/9/2012

SECTION 1 – PRODUCT IDENTIFICATION

Trade name : Cure & Seal WB (PN# CSWB)

Manufacturer : SpecChem

1619 Walnut St

Kansas City, MO 64108

Telephone : (866) 791-8700

Emergency Phone : CHEMTREC (800) 424-9300

Product Use : Curing and Sealing Compound

SECTION 2 - PRODUCT COMPOSTION

Chemical Name	CAS-No.	Weight %	
Water	7732-18-5	> 75.0	
Acrylic Polymer	25036-16-2	< 20.0	
Propylene glycol ether	770-35-4	< 5.0	

SECTION 3 – HAZARDS IDENTIFICATION

Emergency Overview

White. Liquid. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effect anticipated under normal conditions of use.

Eyes : Direct contact may cause mild irritation.

Ingestion : May cause gastrointestinal irritation, nausea, and vomiting.

Skin : May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin, and respiratory disorders may be aggravated by exposure.

Chronic Health Effects



Cure & Seal WB

Version 1 Revised Date: 2/9/2012

Repeated overexposure to Ethylene Glycol Butyl Ether may cause hemolysis of the red blood cells leading to possible liver and kidney damage.

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further exposure. If symptoms

persist, get medical attention.

Eye contact : Flush with water for 15 minutes. If irritation persists, get medical

attention.

Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap

and water. If irritation, rash or other disorders develop, get medical

attention immediately.

Ingestion : Get medical attention. Do not induce vomiting.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point : $> 200 \, ^{\circ}\text{F}, > 93 \, ^{\circ}\text{C}$ Method : Tag Closed Cup

Lower explosion limit : 1.10 % (V) Solvent

Upper explosion limit : 8.2 % (V) Solvent

Autoignition temperature : Not available

Extinguishing media : This product is not expected to burn under normal

conditions of use

Hazardous combustion

products

Carbon monoxide and carbon dioxide can form. Smoke,

fumes

Protective equipment for

firefighters

Use accepted fire fighting techniques. Wear full

firefighting protective clothing, including self-contained

breathing apparatus (SCBA).

Fire and explosion conditions : This product is not expected to ignite under normal

conditions of use.



Cure & Seal WB

Version 1 Revised Date: 2/9/2012

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

SECTION 7 - HANDLING AND STORAGE

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin, eyes, and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

Respiratory protection : Not required under normal conditions of use. Wear appropriate

NIOSH/MSHA approved respirator with combination particulate filter and vapor/gas removing cartridge when the ventilation is not adequate or if it is necessary to abrade or grind surface

coated with this product.

Hand protection : Use suitable impervious rubber or vinyl gloves and protective

apparel to reduce exposure.

Eye protection : Wear appropriate eye protection. Wear chemical safety goggles

and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.

Skin and body protection : Prevent contact with shoes and clothing. Use rubber apron and

overshoes.

Protective measures : Other equipment not normally required. Use professional

judgment in the selection, care, and use.

Engineering measures : Not required under normal conditions of use. Use local exhaust

when general ventilation is inadequate.

Exposure Limits

No known components with exposure limits.



Cure & Seal WB

Version 1 Revised Date: 2/9/2012

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid

Color : White

Odor : Light Acrylate

pH : 9

Vapor pressure : Not Available

Vapor density : Heavier than air

Melting point/range : Not available

Freezing point : Not available

Boiling point/range : 212 °F, 100 °C (water)

Water solubility : Soluble

Specific Gravity : 1.02

% Volatile Weight : 86 +/-1 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Strong acids. Strong bases.

Stability : Stable

Hazardous polymerization : Will not occur

SECTION 11 – TOXICOLOGY INFORMATION

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS



Cure & Seal WB

Version 1 Revised Date: 2/9/2012

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state

and local regulations

SECTION 14 - TRANSPORTATION / SHIPPING DATA

TDG / DOT Shipping Description:

NOT REGULATED

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 311/312 Hazards : Acute Health Hazard

OSHA Hazardous Components

Glycol ether solvent 770-35-4

OSHA Status: Considered hazardous based on the

following criteria

Irritant

OSHA Flammability : Not regulated.

Regulatory VOC (less water

and exempt solvent)

98 g/l

NTP, IARC and OSHA : This product not contain any substances listed as a

carcinogen.

Sara Title III Section 313

Supplier Notification

This product does not contain toxic chemicals subject to the reporting requirements of Section 313 of the Emergency

Planning and Community Right to Know Act of 1986 and of 40

CFR 372.

U.S. State Regulations:



Cure & Seal WB

Version 1 Revised Date: 2/9/2012

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm:

None known

Components under California Proposition 65:

This product does not contain any substances listed by the State of California Environmental Protection Agency, Office of Environmental Health Hazard Assessment Safe Drinking Water and Toxic Enforcement Act of 1986.

Other:

This product does not contain nor is it manufactured with ozone depleting chemicals.

SECTION 16 – OTHER INFORMATION

HMIS Rating:

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

Further Information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Valery Tokar

Legend

ACGIH – American conference of Governmental hygienists

CERCLA – Comprehensive Environmental Response, Compensation, And Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS – Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible Exposure Limit RCRA – Resource Conservation and

Recovery Act

RTK - Right to Know

SARA - Superfund Amendments and

Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA – Time Weighted Average

V – Volume

VOC – Volatile Organic Compound WHIMIS – Workplace Hazardous Materials Information System