

Deco Shine Matte

Version 1 Revised Date: 9/15/2014

SECTION 1 – PRODUCT IDENTIFICATION

Trade name : Deco Shine Matte (PN# DSPM)

Manufacturer : SpecChem

1511 Baltimore Ave, Suite 600 Kansas City, MO 64108

Telephone : (816) 968-5600

Emergency Phone : CHEMTREC (800) 424-9300

Product Use : Sealer

SECTION 2 - HAZARDS IDENTIFICATION

NFPA:



OSHA:

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3 – PRODUCT COMPOSTION

Chemical Name	CAS-No.	Weight %
Aromatic petroleum distillates	64742-95-6	> 70.0
Acrylic Resin Solution	N/A	> 25.0
DIDP	68515-49-1	< 5.0
Matte Agent	N/A	< 2.0



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Move to fresh air. If required, artificial respiration or administration of oxygen

can be performed by trained personnel. Leave area to breathe fresh air. Avoid

further overexposure. If symptoms persist, get medical attention.

Eye contact : Flush with water for at least 15 minutes while holding eyelids apart. Get

medical attention immediately.

Skin contact : Clean area of contact thoroughly with soap and water. If irritation, rash or

other disorders develop, get medical attention immediately.

Ingestion : Do not induce vomiting unless advised by a physician. Call nearest Poison

Control Center or Physician immediately.

SECTION 5 – FIRE FIGHTING MEASURES

Flash point : Combustible Liquid > 103 °F, 40 °C

Method : Setaflash Closed Cup

Lower explosion limit : 1.0 % (V) Solvent

Upper explosion limit : 7.0 % (V) Solvent

Autoignition temperature : Not available.

Extinguishing media : If water fog is ineffective, use carbon dioxide, dry

chemical or foam. Do not use water stream.

Hazardous combustion

products

Smoke, fumes. Carbon monoxide and carbon dioxide can

form. Nitrogen oxides can form.

Protective equipment for

firefighters

Use accepted fire-fighting techniques. Wear full

firefighting protective clothing, including self-contained breathing apparatus (SCBA). Water may be used to

cool containers to minimize pressure build-up.

Fire and explosion conditions : Vapor concentrations in enclosed areas may ignite

explosively. Product may ignite if heated in excess of its flash point. Vapors may travel to sources of ignition and flashback. Closed container may burst when exposed to extreme heat. Empty containers may contain ignitable

vapors.



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Use appropriate protective equipment. Avoid contact with material. Remove sources of ignition immediately. Stop flow of material if safe to do so. Contain spill and keep out of water courses. Ventilate area. Absorb spill with sand, earth or other suitable material. Transfer to appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

Handle in compliance with common hygienic practice. Clean hands thoroughly after handling. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin, eyes, and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above 10°F.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

Respiratory protection : Wear appropriate, properly fitted NIOSH/MSHA approved

organic vapor or supplied air respirator when airborne contaminant level(s) are expected to exceed exposure limits indicated on MSDS. Follow manufacturer's directions for

respirator use.

Hand protection : Use suitable impervious nitrile or neoprene gloves and protective

apparel to reduce exposure

Eye protection : Wear appropriate eye protection. Wear chemical safety goggles

and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available

Protective measures : Other equipment not normally required. Use professional

judgment in the selection, care, and use.

Engineering measures : Not required under normal conditions of use. Use local exhaust

when the general ventilation is inadequate.

Exposure Limits

Chemical Name	CAS Number	Regulation	<u>Limit</u>	<u>Form</u>
1,2,4- Trimethylbenzene	95-63-6	ACGIH TWA:	25 ppm	
1,3,5- Trimethylbenzene	108-67-8	ACGIH TWA:	25 ppm	·



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

Cumene	98-82-8	ACGIH TWA:	50 ppm
		OSHA PEL:	245 mg/m3
Xylene	1330-20-7	ACGIH TWA:	100 ppm
		ACGIH STEL:	150 ppm
		OSHA PEL:	435 mg/m3
DIDP	26761-40-0	N/A	N/A

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid

Color : Clear

Odor : Aromatic Solvent

pH : Not available

Vapor pressure : Not available

Vapor density : Heavier than air.

Melting point/range : Not available

Freezing point : Not available

Boiling point/range : Approximate 322°F (Aromatic 100)

Water solubility : Negligible

Specific Gravity : 0.90 +/-.02

% Volatile Weight : ~75.0 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Oxidizing agents.

Stability : Stable under normal conditions. Avoid welding arcs, flames or other high

temperature sources

Hazardous polymerization : Will not occur.

SECTION 11 – TOXICOLOGY INFORMATION



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

Cumene, CAS-No.: 98-82-8

Acute oral toxicity (LD-50 oral) 2,910 mg/kg (Rat) 1,400 mg/kg (Rat)

Acute inhalation toxicity (LC-50) 2,000 mg/l for 7 h (Mouse) 8,000 mg/l for 4 h (Rat) 24.7 mg/l

for 2 h (Mouse)

Xylene, CAS-No.: 1330-20-7

Acute oral toxicity (LD-50 oral) 4,300 mg/kg (Rat) 1,590 (Mouse) 6,670 mg/kg (Rat) 3,523 –

8,600 mg/kg (Rat) 5,627 mg/kg (Mouse)

Acute inhalation toxicity (LC-50) 6,350 mg/l for 4 h (Rat) 3,907 mg/l for 6 h (Mouse) 8,000 mg/l

for 4 h (Rat)

SECTION 12 – ECOLOGICAL INFORMATION

No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

RCRA Class : D001: Reportable Quantity = 100 lbs. (Characteristic of ignitability)

This classification applies only to the material as it was originally produced.

Disposal Method : Subject to hazardous waste treatment, storage, and disposal

requirements under RCRA. Recycle or incinerate waste at EPA

approved facility or dispose of in compliance with federal, state and local

regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

TDG / DOT Shipping Description:

NOT REGULATED IN CONTAINERS LESS THAN 119 GALLONS Combustible Liquid in North America (Flammable elsewhere)

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : 1,2,4- Trimethylbenzene 95-63-6



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

Cumene 98-82-8 Xylene 1330-20-7

SARA 311/312 Hazards : Acute Health Hazard

Fire Hazard

OSHA Hazardous Components : 1,2,4- Trimethylbenzene 95-63-6

 1,3,5- Trimethylbenzene
 108-67-8

 Cumene
 98-82-8

 Xylene
 1330-20-7

OSHA Status: Considered hazardous based on the

following criteria

Irritant

OSHA Flammability : II

Regulatory VOC (less water

And exempt solvent)

695 g/l

NTP, IARC and OSHA : This product contains the following substances listed as a

carcinogen. Cumene, Dioctyl Phthalate

Sara Title III Section 313

Supplier Notification

This product does contain toxic chemicals subject to the reporting requirements of Section 313 of the Emergency

Planning and Community Right to Know Act of 1986 and of 40

CFR 372.

 Cumene
 98-82-8
 ?%

 Dioctyl Phthalate
 117-81-7
 ?%

 Xylene
 1330-20-7
 ?%

U.S. State Regulations:

WARNING! Contains chemicals known to the state of California to cause cancer, birth defects and/or other reproductive harm:

Components under California Proposition 65:

This product contains the following substances listed by the State of California Environmental Protection Agency, Office of Environmental Health Hazard Assessment Safe Drinking Water and Toxic Enforcement Act of 1986.

Cumene, Dioctyl Phthalate,

Other:

This product does not contain nor is it manufactured with ozone depleting chemicals.



Deco Shine Matte

Version 1 Revised Date: 9/15/2014

SECTION 16 - OTHER INFORMATION

Further Information:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. SpecChem and its affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.specchemllc.com for additional terms and conditions of sale.

Prepared by: Valery Tokar

Legend

ACGIH – American conference of Governmental hygienists CERCLA – Comprehensive Environmental Response, Compensation, And Liability Act

DOT – Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS – Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible Exposure Limit RCRA – Resource Conservation and Recovery Act

RTK - Right to Know

SARA – Šuperfund Amendments and Reauthorization Act

STEL – Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA – Time Weighted Average

V - Volume

VOC – Volatile Organic Compound WHIMIS – Workplace Hazardous Materials Information System