# **QC Release Powder II**



Material Safety Data Sheet QC Construction Products 232 S. Schnoor Ave. Madera, CA 93637 **HMIS Ratings** 

Health: 1
Flammability: 0
Reactivity: 0

Personal Protection See VII

Equipment:

**Emergency Telephone Number:** 

Chemtrec: 800.424.9300

**Notice:** The following information is accurate to the best of our knowledge and is offered in good faith. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in specific context of the intended use and determine whether they are appropriate.

### I. IDENTIFICATION

Product Name: QC Release Powder II

Synonymous: Release Powder, Hydrophobic Powder

Chemical Family: Mixture
Chemical Formula: Proprietary

D.O.T. Hazard Class: N/A

Appearance & Odor: Light, fluffy powder of various colors having an earthy odor.

# II. HAZARDOUS COMPONENTS & EXPOSURE LIMITS

Composition%OSHA PELACGIH TLVCAS NO.Hydrous Magnesium<10</td>2 mg/m320 mppcf14807-96-6

Silicate

Inorganic Metal <1 Not established Not established Mixture

Oxide Mixture

### III. TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS

Specific Gravity (H<sub>2</sub>O=1): 0.5
Boiling Point: N/A
Melting Point: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Evaporation Rate: N/A
Solubility In Water: Insoluble

# IV. FIRE EXPLOSION & REACTIVITY DATA

Flash Point: N/A
Flammable Limits: N/A
Firefighting Media: N/A
Special Firefighting

Procedure: N/A Unusual Fire Hazards: N/A

Revised QC Release Powder II - Page 1 of 3 07/2007

<sup>\*</sup> Total Dust = 15 mg/m3 TWA, Respirable = 5 mg/m3 TWA

Reactivity: Stable

Incompatibilities: Reacts with strong acid to emit carbon dioxide

Decomposition or

Byproducts: None

Hazardous

Polymerization: Will not occur

Conditions to Avoid: None

## V. <u>HEALTH HAZARD DATA</u>

Inhalation: Acute exposure may cause irritation to the upper respiratory system.

Symptoms are coughing, sneezing, wheezing, nose irritation and some difficulty in breathing. No reported health effects to long time exposure. Crystalline silica is a minor impurity found in one of the raw materials, but at the level found in this finished product it is not considered to be

carcinogenic by OSHA, NTP or IARC.

Persons with existing pulmonary disorders should avoid breathing any

dust generated during the use of this product.

Skin Contact: Mild irritation, NIOSH RTECS IRDS: SKN-HMN 300 ug/3D-1 MLD

Eye Contact: Irritation

Ingestion: Not carcinogenic, may irritate and cause gagging, coughing and choking.

# Emergency and First Aid Procedures

Inhalation: Remove from work area into fresh air; administer artificial respiration by

qualified person if breathing has stopped. Seek immediate medical

attention.

Skin Contact: Wash with soap and water, see physician if irritation persists.

Eye Contact: Flush with large amount of water, see a physician if irritation persists.

Ingestion: Do not induce vomiting. If large amount is swallowed and breathing is

difficult, seek immediate medical attention. Have person drink approximately 10 oz. of water to dilute material in stomach.

### VI. SPILL PROCEDURES & WASTE DISPOSAL

Spill: Clean spill area by means of dustless collection method and retain for

reuse or disposal.

Waste

Disposal: Follow all Federal, State and Local regulations when storing and

disposing of substance.

Precautions for Safe Handling

And Storage: Store at normal room temperatures. Clean up any and all spills

immediately. Practice good housekeeping.

Other Precautions: N/A

# VII. PROTECTIVE CONTROL MEASURES

Respirator: Use proper NIOSH approved dust mask, as specified in OSHA CFR29

1910.134.

Ventilation: Use local exhaust to meet published exposure limits.

Special: N/A

Protective Gloves: Wear appropriate protective gloves.

Eye Protection: If working in confined area where dust is heavy, it is advisable to wear

safety goggles or glasses with side shields to reduce exposure.

Other Protective

Clothing Required: Optional - coveralls to reduce skin contact and keep personal clothing

free of dust.

### Work/Hygiene Practices

Wet floors may become extremely slippery in combination with this product, do not clean up with water. Exercise stringent hygiene practices to minimize exposure. If unwanted contact or irritation occurs, wash any body part with water and/or soap immediately, and seek medical attention.