



# Rugasol S

	er and the first service <u>communic</u>				
HMIS	The property of the Market				
HEALTH	1				
REACTIVITY	0	a yan Arman marant Maranta katalon	garafay yaken Assa Assariya		
PERSONAL PROTEC	TION D				
			7.77		

# 1. Product And Company Identification Supplier Sika Corporation 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: EHS Department Telephone Number: 201-933-8800 FAX Number: 201-933-9379 Manufacturer Sika Corporation 201 Polito Ave Lyndhurst, NJ 07071 Company Contact: EHS Department Telephone Number: 201-933-8800 FAX Number: 201-933-9379 FAX Number: 201-933-9379

Supplier Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

Web Site: www.sikausa.com

Manufacturer Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887

Web Site: www.sikausa.com

Issue Date: 09/19/2005

Product Name: Rugasol S
CAS Number: Not Established

Chemical Family: Surface Mortar Retardant

MSDS Number: 3704 Product Code: P199540

2. Composition/Information On Ingredients		
Ingredient Name	CAS Number	Percent Of Total Weight
Aqueous Organic and Inorganic Solution	Mixture	walish say is say is

## 3. Hazards Identification

## Eye Hazards

May cause eye irritation.

## Skin Hazards

May cause skin irritation.

## **Ingestion Hazards**

May be harmful if swallowed.

## Inhalation Hazards

May be harmful if inhaled.

# MATERIAL SAFETY DATA SHEET

# Rugasol S

## 4. First Aid Measures

## **Eye**

In case of contact, hold eyelids apart and immediately flush eyes with plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

## Skin

In case of contact, immediately flush skin with soap and plenty of tepid water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

#### Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel. If victim is fully conscious, give one or two cups of water or milk to drink.

#### <u>Inhalation</u>

Remove to fresh air. If not breathing, give artificial respiration, seek medical attention.

## 5. Fire Fighting Measures

## **Extinguishing Media**

Aqueous solution, will not support combustion. Use the appropriate extinguishing media for the surrounding fire.

## Fire Fighting Instructions

In the event of a fire, firefighters should wear full protective clothing and NIOSH-approved self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode.

## 6. Accidental Release Measures

Avoid release to the environment. Use appropriate Personal Protective Equipment (PPE). Contain spill and collect with absorbent material and transfer into suitable containers. Do not flush to sewer or allow to enter waterways. Ventilate enclosed area.

## 7. Handling And Storage

## **Handling And Storage Precautions**

Keep out of reach of children. Store in a cool, dry, well ventilated area. Keep containers tightly closed.

## Work/Hygienic Practices

Wash thoroughly with soap and water after handling.

## 8. Exposure Controls/Personal Protection

## **Engineering Controls**

Use with adequate general and local exhaust ventilation. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

## **Eye/Face Protection**

Faceshield over safety glasses or goggles.

## **Skin Protection**

Chemical-resistant gloves. Lab coat or other work clothing to prevent skin exposure (Long sleeve shirt and long pants). Launder before reuse.

## **Respiratory Protection**

In case of inadequate ventilation, use NIOSH-approved respirator. A respirator protection program that meets 29 CFR 1910.134 requirement must be followed whenever workplace conditions warrant a respirator's use.

# MATERIAL SAFETY DATA SHEET

# Rugasol S

## 9. Physical And Chemical Properties

## **Appearance**

Amber Liquid

## Odor

Mild Odor

Chemical Type: Pure
Melting Point: N/AV °F
Boiling Point: N/AV °F
Specific Gravity: 1.09
Percent Volatiles: N/A
Packing Density: 9.11 lb/gal
Vapor Pressure: N/A
Vapor Density: > AIR

Solubility: N/A

Evaporation Rate: Slower Than Ether

## 10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will Not Occur

## Conditions To Avoid (Stability)

None Known.

## Incompatible Materials

None Known.

## **Hazardous Decomposition Products**

None Known.

## 11. Toxicological Information

No Data Available...

#### 12. Ecological Information

No Data Available...

## 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations. Waste generators must determine whether a discarded material is classified as a hazardous waste. USEPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport Information

## **Proper Shipping Name**

Not Regulated by the US D.O.T.

## 15. Regulatory Information

## **SARA Hazard Classes**

Acute Health Hazard

## **SARA Section 313 Notification**

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

# MATERIAL SAFETY DATA SHEET

# Rugasol S

## 16. Other Information

HMIS Rating
Health: 1
Fire: 0
Reactivity: 0
PPE: D

Revision/Preparer Information

MSDS Preparer: EHS Department

MSDS Preparer Phone Number: 201-933-8800

This MSDS Supercedes A Previous MSDS Dated: 03/09/2004

## **Disclaimer**

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

## SIKA CORPORATION

Printed Using MSDS Generator™ 2000