





PRODUCT: **Sikaflex® 2c Color Pack**

**SECTION IV: FIRE AND EXPLOSION HAZARDS**

|                                |  |                                  |                 |
|--------------------------------|--|----------------------------------|-----------------|
| Flammability:                  | No   | TDG Flammability Class:          | Not Regulated   |
| If Yes, under what conditions: |  | Flammable upper limits (% vol.): | Not Established |
|                                |  | Flammable lower limits (% vol.): | Not Established |
|                                |  | Flash Point (method used):       | > 94°C          |
| Extinguishing methods:         | Foam, dry chemical products, CO <sub>2</sub> , water for large flames.   | Auto-ignition temperature:       | Not Established |
|                                |  | Dangerous Combustion Products:   | CO              |
| Special Methods:               | Firefighters must wear complete protective clothing with respiratory equipment and they must protect any exposed skin. | Protect from mechanical impact:  | No              |
|                                |  | Protect from static discharge:   | No              |

**SECTION V: REACTIVITY DATA**

|                                      |                       |                                   |    |
|--------------------------------------|-----------------------|-----------------------------------|----|
| Chemical stability:                  | Yes                   | Dangerous decomposition products: | CO |
| If not, under what conditions        |                       |                                   |    |
| Incompatibility with other material: | Yes                   | Polymerization Risks:             | No |
| If Yes, which ones:                  | Acid, strong oxidizer |                                   |    |



PRODUCT: Sikaflex® 2c Color Pack

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: Irritating

Skin Irritating. Contact may result in dermatitis,

Inhalation: Vapor or mist from this product may cause irritation.

Ingestion: May cause nausea, vomiting, fainting, diarrhea, lung damage, G.I. system disorder, constipation.

Over exposure may cause breathing difficulties, headaches, nausea, vomiting. May aggravate respiratory, skin, eye, lung problems

Carcinogenicity: No

Toxic effects on reproduction: No

Teratogenicity: No

Mutagenicity: No

Product with synergistic effects: Not established

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sikaflex® 2c Color Pack

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Use chemical resistant gloves.

Respiratory equipment: Not required in normal condition

Eyes: Full-face mask or safety glasses

Shoes: Leather

Clothing: Rubber Apron

Other: Eye wash station, shower

OTHERS

Ventilation: Sufficient ventilation required

Procedure in case of leaks: Absorb with sand or other absorbent material.

Handling and Equipment methods: Avoid skin, eye and clothing contact

Warehouse Requirements: Keep all containers closed in a cool, dry and well ventilated area.

Special Shipping Instructions: See TDG class

Waste Disposal: Dispose of sand and rinse water according to municipal, provincial or federal laws for disposal of chemicals.



PRODUCT: Sikaflex® 2c Color Pack

SECTION VIII: FIRST AID

Skin: Remove contaminated clothing and shoes.  
Wash immediately with plenty of water.  
Wash clothing before re-wearing.  
Consult a physician if required.

Eyes: Rinse eyes immediately with plenty of water for several minutes, while holding eyelids wide open, to ensure a proper wash.  
See a physician immediately.

Inhalation: In the case of overexposure, evacuate to fresh air.  
Consult a physician if required.

Ingestion: Drink plenty of water. Do not induce vomiting.  
Do not give anything by mouth to an unconscious person.  
See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared by: Steve Gosselin  
Telephone #: (514) 697-2610  
Fax #: (514) 694-2792

**Notice To Reader**

*The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Technical Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this MSDS.*

**SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

*All sales of Sika products are subject to its current terms and conditions of sale available at [www.sikacanada.com](http://www.sikacanada.com) or 514-697-2610.*