

# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12/2015 Print Date 01/13/2015

# **SECTION 1 - PRODUCT IDENTIFICATION**

Trade name	: SPEED CRETE BLUE LINE
Product code	: TR5102650
COMPANY	: Euclid Chemical Company 19218 Redwood Road Cleveland, OH 44110
Telephone Emergency Phone	: 1-800-321-7628 : U.S. only: 1-800-424-9300
	International Users Call Collect: 1-703-527-3887

## **SECTION 2 - HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Gray. Powder. Dust may irritate nose and throat. Dust irritating to the respiratory tract. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

#### Acute Potential Health Effects/ Routes of Entry

Inhalation Eyes	:	Dust may irritate nose and throat. Dust irritating to the respiratory tract. Direct contact may cause severe irritation. May cause mechanical irritation or abrasion, and possible chemical burns. May cause temporary injury.
Ingestion	:	May cause irritation to the mouth, throat and stomach. May cause gastrointestinal irritation, nausea, and vomiting.
Skin	:	May cause severe irritation. May cause dryness, cracking, irritation, and chemical burns. May produce cement dermatitis due to primary irritation from alkaline, hydroscopic and abrasive properties.

#### **Aggravated Medical Conditions**

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

#### **Chronic Health Effects**

RPIT Company

Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica.

## SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Portland cement	65997-15-1	40.0 - 70.0
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	15.0 - 40.0
Clay	NJ TSRN# 51721300-5165P	7.0 - 13.0
Gypsum (Calcium Sulfate)	10034-76-1	7.0 - 13.0

1/7



# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12	2/2015			Print Date 01/13/2015
Calcium salt Ammonium Chloride		7778-18-9 12125-02-9	1.0 - 5.0 0.1 - 1.0	
<b>SECTION 4 - FIRST</b>	' AID	MEASURES		
Get immediate med	lical at	tention for any significant overex	posure.	
Inhalation	:	Leave area to breathe fresh air medical attention.	Avoid further overexposure.	. If symptoms persist, get
Eye contact	:	Flush with water for at least 15 attention immediately.	minutes while holding eye lid	ls apart. Get medical
Skin contact	:	Clean area of contact thorough disorders develop, get medical		itation, rash or other
Ingestion	:	Do not induce vomiting unless Center or Physician immediate		nearest Poison Control

## SECTION 5 - FIRE FIGHTING MEASURES

Flash point	:	Not available.
Method	:	Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.Use that which is appropriate to the surroundings.
Hazardous combustion products	:	Not available.
Protective equipment for firefighters	:	Not applicable. Product is not expected to burn.
Fire and explosion conditions	:	This product not expected to ignite under normal conditions of use.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Use appropriate protective equipment. Avoid contact with material. Dampen material with water to control dusting. Scoop up and transfer to appropriate container for disposal. Flush spill area with water.

## **SECTION 7 - HANDLING AND STORAGE**

Prevent inhalation of dust and contact with skin and eyes. Clean hands thoroughly after handling. Precautions also apply to emptied containers. Personal protective equipment must be worn during maintenance or repair of contaminated mixer, reactor, or other equipment. Store in sealed containers in a cool, dry, ventilated warehouse location.

RPI Company



# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12/2015 Print Date 01/13/2015

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equip Respiratory protection	Int Wear appropriate, properly fitted NIOSH/MSHA approved dust respirate where airborne concentrations are expected to exceed exposure limits indicated on the MSDS. Follow manufacturer's directions for respirator up indicated on the MSDS.	
Hand protection	Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.	)
Eye protection	Wear appropriate eye protection.Wear chemical safety goggles and/or f shield to prevent eye contact. Do not wear contact lenses. Do not touch with contaminated body parts or materials. Have eye washing facilities r available.	i eyes
Skin and body protection	Prevent contact with shoes and clothing.	
Protective measures	Use professional judgment in the selection, care, and use.Wear gloves, coverings and full body clothing as necessary to prevent skin irritation. Washable or disposable clothing may be used. Do not take unwashed clothing home. Work clothes should be washed separately from other cl and the washing machine rinsed thoroughly following use. Inform the launderer of the proper procedures. Store work clothes and street clothes separately to prevent contamination.	lothing
Engineering measures	Use only in well ventilated areas. Provide maximum ventilation in enclos areas. Use local exhaust when the general ventilation is inadequate.	sed

#### **Exposure Limits**

Chemical Name	CAS Number	Regulation	Limit	Form
Portland cement	65997-15-1	ACGIH TWA:	1 mg/m3	Respirable fraction.
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	OSHA TWA: OSHA TWA: ACGIH TWA:	0.1 mg/m3 0.3 mg/m3 0.025 mg/m3	Respirable. Total dust. Respirable fraction.
Clay	1332-58-7	ACGIH TWA: OSHA TWA: OSHA TWA:	2 mg/m3 5 mg/m3 15 mg/m3	Respirable fraction. Respirable fraction. Total dust.
Calcium salt	7778-18-9	ACGIH TWA: OSHA TWA: OSHA TWA: ACGIH TWA:	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3	Total dust. Respirable fraction. Inhalable fraction.

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES Form : Powder Color : Gray Odor : None



Print Date 01/13/2015

# SPEED CRETE BLUE LINE

Version 5.0 **REVISION DATE: 01/12/2015** 

	рН	:	Not available.			
	Vapour pressure	:	Not available.			
	Vapor density	:	Not available.			
	Melting point/range	:	Not available.			
	Freezing point	:	Not available.			
	Boiling point/range	:	Not available.			
	Water solubility	:	Miscible			
	Specific Gravity	:	3.0			
	% Volatile Weight	:	0.0 %			
22		' / <b>C</b>				

## SECTION 10 - REACTIVITY / STABILITY

Substances to avoid Stability

: Not Applicable.

Hazardous polymerization

: Material is stable under normal storage, handling, and use.

: Will not occur under normal conditions.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

Kaolin Clay, CAS-No.: 1332-58-7 5,000 mg/kg (Rat) Acute oral toxicity (LD-50 oral) Acute dermal toxicity (LD-50 dermal) 5,000 mg/kg (Rat) Calcium salt, CAS-No.: 7778-18-9 5,825 mg/kg (Mouse, Rat) 4,704 mg/kg (Mouse, Rat) > Acute oral toxicity (LD-50 oral) 1,581 mg/kg (Rat) 9,934 mg/kg (Mouse, Rat) > 3.26 mg/l for 4 h (Rat) Acute inhalation toxicity (LC-50) Ammonium Chloride, CAS-No.: 12125-02-9 1,000 mg/kg (Sheep) 600 mg/kg (Dog) 1,000 mg/kg ( Acute oral toxicity (LD-50 oral) Rabbit ) 1,410 mg/kg (Rat ) 1,300 mg/kg (Mouse ) 1,000 mg/kg (Guinea pig, Rabbit, Rat)

Acute dermal toxicity (LD-50 dermal) > 2,000 mg/kg (Rat) > 2,000 mg/kg (Rat)

# **SECTION 12 - ECOLOGICAL INFORMATION**

No Data Available

## SECTION 13 - DISPOSAL CONSIDERATIONS

: Not regulated under RCRA. Dispose of in compliance with state and local regulations. **Disposal Method** Do not incinerate.

RPI Company

TR5102650



# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12/2015 Print Date 01/13/2015

# SECTION 14 - TRANSPORTATION / SHIPPING DATA

## CFR / DOT:

Not Regulated

## TDG:

Not Regulated

#### IMDG:

Not Regulated

## **SECTION 15 - REGULATORY INFORMATION**

#### North American Inventories:

One or more components are not listed on the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

# U.S. Federal Regulations:

SARA 313 Components	:	None present or none present in regulated quantities.
SARA 311/312 Hazards	:	Acute Health Hazard Chronic Health Hazard
OSHA Hazardous Components : Portland cement Crystalline Silica (Quartz)/ Silica S Clay Calcium salt Ammonium Chloride		65997-15-1 nd 14808-60-7 NJ TSRN# 51721300-5165P 7778-18-9 12125-02-9
OSHA Status: Considered hazardous based on the following criteria:	:	Irritant Carcinogen
OSHA Flammability	:	Not Regulated
Regulatory VOC (less water and exempt solvent) VOC Method 310		: 0 g/l : 0.00 %
Chemical is listed as an IARC, NT Crystalline Silica (Quartz)/ Silica S		
U.S. State Regulations:		



# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12/2015			Print Date 01/13/2015
MASS RTK Components	:	Portland cement Crystalline Silica (Quartz)/ Silica Sand Gypsum (Calcium Sulfate) Calcium salt	65997-15-1 14808-60-7 10034-76-1 7778-18-9
Penn RTK Components	:	Portland cement Crystalline Silica (Quartz)/ Silica Sand Clay Gypsum (Calcium Sulfate) Calcium salt	65997-15-1 14808-60-7 NJ TSRN# 51721300-5165P 10034-76-1 7778-18-9
NJ RTK Components	:	Portland cement Crystalline Silica (Quartz)/ Silica Sand Clay Gypsum (Calcium Sulfate) Calcium salt	65997-15-1 14808-60-7 NJ TSRN# 51721300-5165P 10034-76-1 7778-18-9

Components under California Proposition 65:

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm

## **SECTION 16 - OTHER INFORMATION**

#### **HMIS Rating :**

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

#### Prepared by: Rich Mikol

#### Legend

Legend	
ACGIH - American Conference of Governmental Hygienists	PEL - Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act	RCRA - Resource Conservation and Recovery Act
DOT - Department of Transportation	RTK - Right To Know
DSL - Domestic Substance List	SARA - Superfund Amendments and Reauthorization Act
EPA - Environmental Protection Agency	STEL - Short Term Exposure Limit
HMIS - Hazardous Materials Information System	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TSCA - Toxic Substances Control Act
MSHA - Mine Safety Health Administration	TWA - Time Weighted Average
NDSL - Non-Domestic Substance List	V - Volume
NIOSH - National Institute for Occupational Safety and Health	VOC - Volatile Organic Compound
NTP - National Toxicology Program	WHMIS - Workplace Hazardous Materials Information System
OSHA - Occupational Safety and Health Administration	

RPI Company



# SPEED CRETE BLUE LINE

Version 5.0 REVISION DATE: 01/12/2015 Print Date 01/13/2015