

For more Information Call: 1-800-537-3407

SAFETY DATA SHEET

Version 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product:	MASCO CITRUS CLEAN
Revision Date:	9/3/2015

Manufacturer: Masons Supply Company (MASCO) 2637 SE 12th Avenue Portland, OR 97202 TEL (503) 234-4321 FAX (503 234-5606

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product a pale yellow liquid with a citrus smell.

<u>Health Hazards</u>: May be harmful if ingested, inhaled, or in contact with skin. May cause skin, eye, and respiratory irritation.

<u>Flammability Hazards</u>: This product is a flammable liquid with a flash point of 115°F (46°C). <u>Reactivity Hazards</u>: None.

<u>Environmental Hazards</u>: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols Not regulated



EU and GHS Symbols

Signal Word Danger

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

203-905-0 is listed in Annex I 603-014-00-0 227-813-5 is listed in Annex I 601-029-00-7 Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification:

Glycol Ether EB, D-Limonene



2.2 Label Elements: GHS Hazard Classifications:	Elemmeble Liquid Category 2
GHS Hazaru Classifications.	Flammable Liquid Category 3 Acute Toxicity (Oral) Category 4
	Acute Toxicity (Dermal) Category 4
	Acute Toxicity (Inhalation) Category 4
	Skin Irritation Category 2
	Eye Irritation Category 2A
	Skin Sensitization Category 1B
	Aspiration Hazard Category 1
	Chronic Aquatic Toxicity Category 1
Hazard Statements:	H226 Flammable liquid and vapour.
	H302 Harmful if swallowed
	H312 Harmful in contact with skin
	H332 Harmful if inhaled
	H304 May be fatal if swallowed and enters
	airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction
	H319 Causes serious eye irritation
	H410 Very toxic to aquatic life with long lasting
	effects.
Precautionary Statements:	P210 Keep away from heat/sparks/open
-	flames/hot surfaces. No smoking.
	P233 Keep container tightly closed.
	P240 Ground/Bond container and receiving
	equipment.
	P241 Use explosion-proof
	electrical/ventilating/lighting equipment.
	P242 Use only non-sparking tools.
	P243 Take precautionary measures against
	static discharge.
	P280 Wear protective gloves/eye
	protection/face protection.
	P261 Avoid breathing
	fume/gas/mist/vapours/spray
	P264 Wash thoroughly after handling
	P270 Do not eat, drink or smoke when using
	this product
	P272 Contaminated work clothing should not be
	allowed out of the workplace
	P273 Avoid release to the environment
Response Statements:	P301+P310 IF SWALLOWED: Immediately call
Nooponoe otatemento.	a POISON CENTER/DOCTOR.
	P303+P361+P353 IF ON SKIN (or hair): Take
	off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P370+P378 In case of fire: Use dry sand, dry
	chemical or alcohol resistant foam for



	P312 Call a POISON CENTER/DOCTOR if you feel unwell.
	P321 Specific treatment (see supplemental first
	aid instructions on this label).
	P330 Rinse Mouth.
	P304+P340 IF INHALED: Remove person to
	fresh air and keep comfortable for breathing.
	P333+P313 IF skin irritation or rash occurs: Get
	medical advice/attention.
	P305+P351+P338 IF IN EYES: Rinse
	cautiously with water for several minutes.
	P337+P313 If eye irritation persists: Get
	medical advice/ attention.
	P362+P364 Take off contaminated clothing and
	wash it before reuse.
	P391 Collect spillage.
Storage Statements:	P403+P235 Store in a well-ventilated place. Keep
	cool.
	P405 Store locked up
Disposal Statements:	P501 Dispose of contents/container in accordance
	with local/regional/national/international regulations.
2.3 Health Hazards or Risks From Exposure	

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness.

Skin Contact: May be harmful in contact with the skin. May cause irritation to skin.

Eye Contact: Contact with the eyes may be irritating.

Ingestion: May cause lung damage if aspirated. May cause nausea, vomiting, and headaches. **Chronic:** Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Eyes, Skin, Respiratory System, Lungs Chronic: Skin

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Glycol Ether EB	< 80%	111-76-2	203-905-0	Acute Tox. Oral 4, Acute Tox. Dermal 4, Acute Tox. Inhalation 4, Skin Irrit 2, Eye Irrit. 2
D-Limonene	< 40%	8052-41-3	5989-27-5	Flam. Liquid 3, Skin Sens 1B, Asp Tox 1, Aquatic Chron 1
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).				



Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
Seek medical attention if irritation persists.
Skin Contact: Mach ckin thoroughly with coop and water atter handling. Sook medical
Skin Contact: Wash skin thoroughly with soap and water after handling. Seek medical
attention if irritation develops and persists.
Inhalation: If breathing becomes difficult, remove victim to fresh air. If necessary,
use artificial respiration to support vital functions. Seek medical
attention.
Ingestion: If product is swallowed, call physician or poison center immediately. If
professional advice is not available, do not induce vomiting. Never
induce vomiting or give dilutents (milk or water) to someone who is
unconscious, having convulsions, or who cannot swallow. Seek medical
advice. Take a copy of the label and/or SDS with the victim to the health
professional.
Medical Conditions
Generally Aggravated
By Exposure: Pre-existing skin, respiratory system or eye problems may be
aggravated by prolonged contact.
4.2 Symptoms and Effects Both Acute and Delayed: Exposure to skin, eyes, and respiratory
system may cause irritation. May cause headaches, drowsiness, or
dizziness. Aspiration hazard.
4.3 Recommendations to Physicians: Treat symptoms and eliminate overexposure.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials:

Water Spray: No Foam: Yes Halon: Yes Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.



Version 1 Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No 5.3 Special Fire-Fighting Procedures: Incipient fire responders should wear eve protection. Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas. NFPA RATING SYSTEM HMIS RATING SYSTEM HAZARDOUS MATERIAL IDENTIFICATION SYSTEM Flammability HEALTH HAZARD (BLUE) 2 FLAMMABILITY HAZARD (RED) Health Reactivity 0 PHYSICAL HAZARD (YELLOW) 0 **PROTECTIVE EQUIPMENT** RESPIRATORY BODY EYES Other See Sect See Sect 8 8 For Routine Industrial Use and Handling Applications

Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.



• Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Biodegradable citrus based solvent & degreaser.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Glycol Ether EB	111-76-2	50 ppm (240 mg/m³)	5 ppm (24 mg/m³)
D-Limonene	5989-27-5	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards,



sion 1	
	Canadian CSA Standard Z94.4-93, the
	European Standard EN149, or EU member
	states.
Eye Protection:	Safety glasses or goggles are required.
	If necessary, refer to U.S. OSHA 29 CFR
	1910.133, Canadian Standards, and the
	European Standard EN166, Australian
	Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to
	prevent skin contact.
	If necessary, refer to U.S. OSHA 29 CFR
	1910.138, the European Standard DIN EN 374,
	the appropriate Standards of Canada, Australian
	Standards, or relevant Japanese Standards.
Body Protection:	Use body protect appropriate to task being
	performed.
	If necessary, refer to appropriate Standards of
	Canada, or appropriate standards of the EU,
	Australian Standards, or relevant Japanese
	Standards. If a hazard of injury to the feet exists
	due to falling objects, rolling objects, where
	objects may pierce the soles of the feet or where
	employee's feet may be exposed to electrical
	hazards, use foot protection, as described in
	U.S. OSHA 29 CFR 1910.136.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Pale yellow liquid Odor: Citrus Odor Threshold: No data available **pH:** No data available Melting/Freezing Point: No data available **Boiling Point:** 310°F (100°C) Flash Point: 115°F (46°C) Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion Limits: No data available Vapor Pressure (mm Hg @ 20°C (68° F): No data available Vapor Density: No data available Relative Density: No data available Specific Gravity: .85 Solubility in Water: 100% Weight per Gallon: No data available Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: No data available



Decomposition Temperature: No data available Viscosity: No data available <u>9.2 Other Information:</u> No data available

SECTION 10 - STABILITY AND REACTIVITY

<u>10.1 Reactivity:</u>	This product is not reactive.
<u>10.2 Stability:</u>	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur.
10.4 Conditions to Avoid:	Avoid excessive temperatures.
10.5 Incompatible Substances:	Strong oxidizing agents, strong acids, strong bases.
10.6 Hazardous Decomposition Products	: Carbon monoxide and dioxide smoke.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:

loxicity Data:					
Glycol Ether EB	111-76-2	LD50 Oral – Rat	470 mg/kg		
		LC50 Inhalation – Rat	450 ppm (4h)		
D-Limonene	5989-27-5	LD50 Oral – Rat	4,400 mg/kg		

Suspected Cancer Agent:	Ingredients within this product are found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing agents by these agencies.
Irritancy:	Skin, eye, respiratory irritant.
Sensitization to the Product:	This product may cause skin sensitization.
Germ Cell Mutagenicity:	This product contains ingredients that are suspected to be a germ cell mutagenic.
Reproductive Toxicity:	This product is not expected to be a human reproductive toxicant.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 Toxicity:

Clycol Ethor EP	111 76 0	LC50 – Fish	9.2 mg/l – 96h
Glycol Ether EB	111-76-2	EC50 – Algae	3.3 mg/l
D-Limonene	5989-27-5	LC50 – Fathead Minnow	0.72 mg/l – 96h
D-LIMONENE	5969-27-5	EC50 - Daphnia magna	0.36 mg/l - 48 h
12.2 Persistence and D 12.3 Bioaccumulative F 12.4 Mobility in Soil: 12.5 Results of PBT and 12.6 Other Adverse Effe 12.7 Water Endangerme	Potential: No No d vPvB Assessment: ects: No ent Class: At	o specific data available on th o specific data available on th o specific data available on th No specific data available on o data available present, there are no ecotox r this product.	is product. is product. this product.



SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member States and Japan. Not determined

13.2 EU Waste Code:

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows. **UN Identification Number:** UN1993 Proper Shipping Name: Combustible Liquid, n.o.s. (Contains D-Limonene) Class 3 – Combustible Liquid Hazard Class Number and Description: Packing Group: ш DOT Label(s) Required: Combustible North American Emergency **Response Guidebook Number:** 128 14.2 Environmental Hazards: Marine Pollutant:

14.3 Special Precaution for User: 14.4 International Air Transport Association Shipping Information (IATA): 14.5 International Maritime Organization Shipping Information (IMO): UN Identification Number: Proper Shipping Name: Hazard Class Number and Description: Packing Group: EMS-No:

Special Notes:

The components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). None

This product is considered as dangerous goods.

UN1993 Flammable Liquid, n.o.s. (D-Limonene) Class 3 – Flammable Liquids II F-E-S-E

The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.



SECTION 15 – REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture: United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: Yes; Reactivity; No

U.S. CERCLA Reportable Quantity:

T-Butyl Acetate – 5,000

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is Class B2, Flammable Liquid, and D2B, Materials causing other toxic effects, per WHMIS Controlled Product Regulations.



15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:



Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed

SECTION 16 - OTHER INFORMATION

DISCLAIMER

Masons Supply Company believes that the information on this SDS was obtained from reliable sources. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, **Masons Supply Company** does not assume any responsibility and expressly disclaims liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable. Information is correct to the best of our knowledge at the date of the SDS publication.

LEGEND

ACGIH - American Conference of Governmental Hygienists

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit RCRA - Resource Conservation and Recovery Act RTK - Right To Know SARA - Superfund Amendments and Reauthorization Act STEL - Short Term Exposure Limit TLV - Threshold Limit Value TSCA - Toxic Substances Control Act TWA - Time Weighted Average V - Volume VOC - Volatile Organic Compound WHMIS - Workplace Hazardous Materials Information System